



RailRoutes

MTIN codeA	MTIN codeB	ROUTE	Junction (a)	Junction (b)	Junction (c)	No of Stations	Rail Gauge	Tracks	Rail Type	Sleepers	Signalling Block	Clearance Gauge	Axle Load mT	Passenger Trains	Passenger Trains - Length Max (m)	Passenger Trains - Speed Max (kph)	Electrified	Freight Trains	Freight Trains - Length Max (m)	Freight Trains - Speed Max (kph)	Operations
DZ-RL-ALG	DZ-RL-EHAR	Alger (0km) - El Harrach (10km)				A-4-EH=6	Standard	Double	UIC 54 (54kg/m) - continuous welded	Concrete				All Route			None	All Route			Public
DZ-RL-ATOU	DZ-RL-TOUG	Ain Touta (0km) - Biskra (85km) - Touggourt (302km)				A-6-B-7-T=16	Standard	Single	(i)UIC 54 (54kg/m) - 25km continuous welded; (ii)S33 (33kg/m) - 277km non welded	(i) Conc/wood, (ii) Wood/steel				To Biskra			None	All Route			Public
DZ-RL-AZW	DZ-RL-MOHA	Arzew (0km) - Mers El Hadjadj (16km) - (a) Oued Tinn (33km) - Mohammadia (51km)	To Mostaganem			A-2-MEH-1-OT-1-M=8	Standard	Single	S33 (33kg/m) - non welded	Wooden, some steel							None	All Route			Public
DZ-RL-BBAR	DZ-RL-EGOU	Bordj-Bou-Arerridj (0km) - Setif (70km) - El Gourzi (185km)				B-2-S-4-EG=9	Standard	Single	UIC 54 (54kg/m) - continuous welded	Concrete				All Route			None	All Route			Public
DZ-RL-B-DZMA-AABB	DZ-RL-GHAZ	(Morocco Border) Akid Abbas (0km) - Ghazaouet (54.7km)				AA-3-G=5	Standard	Single	S33 (33kg/m) - non welded	Steel, some Wooden							None	All Route			Public
DZ-RL-B-DZMA-AABB	DZ-RL-TABI	(Morocco Border) Akid Abbas (0km) - Maghnia (10km) - Tlemcen (69km) - Tabia (133km)				AA-M-3-T-1-T=8	Standard	Single	UIC 54 (54kg/m) - 10km non welded; S33 (33kg/m) - 123km non welded	Steel				All Route			None	All Route			Public
DZ-RL-BJA	DZ-RL-BMAN	Bejaia (0km) - Beni Mansour (88.6km)				B-10-BM=12	Standard	Single	(i)UIC 54 (54kg/m) - 31.3km continuous welded, 18.8km non-welded; (ii) S33 (33kg/m) - 38.5km non welded	(i) Concrete, (ii) Steel				All Route			None	All Route			Public
DZ-RL-BLID	DZ-RL-DJEL	Blida (0km) - Medea (49km) - Djelfa (276km)				B-M-8-D=11	Narrow (1055mm)	Single	S33 (33kg/m) and other types - Non welded	Wooden							None	All Route			Public
DZ-RL-BLID	DZ-RL-RELI	Blida (0km) - El Affroun (18km) - El Attaf (120km) - Chlef (159km) - Oued Sly (173km) - Relizane (246km)				B-2-EA-8-EA-1-C-OS-R=17	Standard	Double (0-19km, 111.3 - 173.8km) remainder Single	(i)UIC 54 (54kg/m) - 204.2km continuous welded, 23km non welded; (ii) S33 (33kg/m) - 18.7km non welded	(i) Concrete, (ii) Steel				All Route			None	All Route			Public



RailRoutes

MTIN codeA	MTIN codeB	ROUTE	Junction (a)	Junction (b)	Junction (c)	No of Stations	Rail Gauge	Tracks	Rail Type	Sleepers	Signalling Block	Clearance Gauge	Axle Load mT	Passenger Trains	Passenger Trains - Length Max (m)	Passenger Trains - Speed Max (kph)	Electrified	Freight Trains	Freight Trains - Length Max (m)	Freight Trains - Speed Max (kph)	Operations
DZ-RL-BMAN	DZ-RL-BBAR	Beni Mansour (0km) - Bordj-Bou-Arredj (68km)				B-2-B=4	Standard	Single	(i)UIC 54 (54kg/m) - 32km continuous welded, 21km non welded; (ii) S33 (33kg/m)-15km non welded	(i) Concrete, (ii) Steel				All Route			None	All Route			Public
DZ-RL-BOUC	DZ-RL-AAE	Boucheouf (0km) - Annaba (55km)				B-3-A=5	Standard	Single (0-44.5km), Double (44.5-55.0km)	UIC 54 (54kg/m) - (i) 31.5km non welded; (ii) 23.5km continuous welded	(i) Concrete, (ii) Conc/ Steel				All Route			3kV DC	All Route			Public
DZ-RL-BOUC	DZ-RL-GUEL	Boucheouf (0km) - Guelma (33km)				B-3-G=5	Standard	Single	S33 (33kg/m) - non welded	Steel							None	All Route			Public
DZ-RL-BOUC	DZ-RL-SAHR	Boucheouf (0km) - Souk Ahras (53km)				B-2-SA=4	Standard	Single	UIC 54 (54kg/m) - non welded	Steel, some Wooden				All Route			3kV DC	All Route			Public
DZ-RL-EGOU	DZ-RL-ATOU	El Gourzi (0km) - Batna (80km) - Ain Touta (116km)				E-4-B-A=7	Standard	Single	UIC 54 (54kg/m) - continuous welded	Concrete				All Route			None	All Route			Public
DZ-RL-EGOU	DZ-RL-CZL	El Gourzi (0km) - Ouled Rahmoun (10km) - El Khroub (22km) - Constantine (38km)				EG-OR-EK-C=4	Standard	Double	UIC 54 (54kg/m) - 37km continuous welded, 1 km non welded	Concrete				All Route			None	All Route			Public
DZ-RL-EHAR	DZ-RL-BLID	El Harrach (0km) - Blida (40km)				EH-5-B=7	Standard	Double	UIC 54 (54kg/m) - continuous welded	Concrete				All Route			None	From 8.7km to end			Public
DZ-RL-EHAR	DZ-RL-THEN	El Harrach (0km) - Thenia (43.2km)				EH-6-T=8	Standard	Double	UIC 54 (54kg/m) - Continuous welded	Concrete				All Route			None	All Route			Public
DZ-RL-ESEN	DZ-RL-BSF	Es Senia (0km) - Ain-Temouchent (69km) - Beni Saf (90.8km)				ES-8-AT-BS=11	Standard	Single	UIC 54 (54kg/m) - (i) 34.4km Continuous welded, (ii) 56.4km non welded	(i) Concrete, (ii) Mainly Steel				All Route			None	All Route			Public
DZ-RL-ESEN	DZ-RL-OTLE	Es Senia (0km) - Oued Tlalat (21km)				ES-OT=2	Standard	Double	UIC 54 (54kg/m) - Continuous welded	Concrete				All Route			None	All Route			Public
DZ-RL-MECH	DZ-RL-BECH	Mecheria (0km) - Naama (34km) - Bechar (360km)					Narrow (1055mm)	Single	UIC 33 (33kg/m)(and others) - Non welded	Steel/Wood/Concrete							None	All Route			Public



RailRoutes

MTIN codeA	MTIN codeB	ROUTE	Junction (a)	Junction (b)	Junction (c)	No of Stations	Rail Gauge	Tracks	Rail Type	Sleepers	Signalling Block	Clearance Gauge	Axle Load mT	Passenger Trains	Passenger Trains - Length Max (m)	Passenger Trains - Speed Max (kph)	Electrified	Freight Trains	Freight Trains - Length Max (m)	Freight Trains - Speed Max (kph)	Operations
DZ-RL-MECH	DZ-RL-SAID	Mecheria (0km) - Saida (180km)					Narrow (1055mm)	Single	(i) UIC 54 (54kg/m) - 5.5km non welded; (ii) S33 (and others) - 174.5km non welded	(i) Wood, (ii) Steel/Wood							None	All Route			Public
DZ-RL-MOHA	DZ-RL-OTLE	Mohammadia (0km) - Oued Tielat (50km)				M-1-OT=3	Standard	Double	UIC 54 (54kg/m) - 45km continuous welded, 5km non welded	Concrete				All Route			None	All Route			Public
DZ-RL-MOHA	DZ-RL-TIZI	Mohammadia (0km) - Tizi (49km)					Narrow (1055mm)	Single	(i)UIC 54 (54kg/m) - 10.5km non welded; (ii) S33 (and others) - 38.5km non welded	(i) Wood, (ii) Steel/Wood							None	All Route			Public
DZ-RL-MOS	DZ-RL-MOHA	Mostaganem (0km) - (a) Oued Tinn (18km) - Mohammadia (45.2km)	To Arzew			M-1-OT-1-M=5	Standard	Single	S33 (33kg/m) - Non welded	Steel and Wooden							None	All Route			Public
DZ-RL-MOS	DZ-RL-MOSP	Mostaganem (0km) - Mostaganem Port (5km)					Standard	Single	S33 (33kg/m) - Non welded	Wooden							None	All Route			
DZ-RL-MSIL	DZ-RL-ATO	M'sila (0km) - Barika (95km appr.) - Ain Touta (148km appr.)					Standard	Single		Concrete				All Route			None	All Route			Public
DZ-RL-OKEB	DZ-RL-BOUK	Oued Keberit (0km) - (a) Ain Chenia (12km appr.) - Bou Khadra (30.5km appr.)	To Ouenza			OK-AC-O=3	Standard	Single	UIC 54 (54kg/m) - Non welded (0-9.9km); S33 (33kg/m) - Non welded (9.9-30.5km)	Steel							3kV DC	All Route			Public
DZ-RL-OKEB	DZ-RL-OUEN	Oued Keberit (0km) - (a) Ain Chenia (12km appr.) - Ouenza (24.6km)	To Bou Khadra			OK-AC-O=3	Standard	Single	UIC 54 (54kg/m) - Non welded (0-9.9km); S33 (33kg/m) - Non welded (9.9-24.6km)	Steel							3kV DC	All Route			Public
DZ-RL-OKEB	DZ-RL-TEBE	Oued Keberit (0km) - Tebessa (68km)				OK-1-T=3	Standard	Single	S33 (33kg/m) - non welded	Steel				All Route			3kV DC	All Route			Public
DZ-RL-ORN	DZ-RL-ESEN	Oran (0km) - Es Senia (6km)				O-ES=2	Standard	Double	UIC 54 (54kg/m) - continuous welded	Concrete				All Route			None	All Route			Public
DZ-RL-ORN	DZ-RL-ORNP	Oran (0km) - Oran Port (4.4km)				O-OP=2	Standard	Double	UIC 54 (54kg/m)	Concrete				All Route			None	All Route			Public



RailRoutes

MTIN codeA	MTIN codeB	ROUTE	Junction (a)	Junction (b)	Junction (c)	No of Stations	Rail Gauge	Tracks	Rail Type	Sleepers	Signalling Block	Clearance Gauge	Axle Load mT	Passenger Trains	Passenger Trains - Length Max (m)	Passenger Trains - Speed Max (kph)	Electrified	Freight Trains	Freight Trains - Length Max (m)	Freight Trains - Speed Max (kph)	Operations
DZ-RL-RDJA	DZ-RL-AAE	Ramdane Djamel (0km) - (a) Jn (3km) - Annaba (95.8km)	To Constantine			RD-1-A=3	Standard	Single	(i)UIC 54 (54kg/m) - 52.4km continuous welded, 22.2km non welded; (ii) S33 (33kg/m) - 21.2km non welded	(i) Concrete mainly (ii) Steel				All Route			None	All Route			Public
DZ-RL-RDJA	DZ-RL-CZL	Ramdane Djamel (0km) - (a) Jn (3km) - Constantine (69.3km)	To Annaba			RD-9-C=11	Standard	Double	UIC 54 (54kg/m) - (i) 61.5km continuous welded, (ii)7.8km non welded	(i) Concrete, (ii) Wood mainly				All Route			None	All Route			Public
DZ-RL-RDJA	DZ-RL-DJI	Ramdane Djamel (0km) - Jijel (157km)					Standard	Single	UIC 54 (54kg/m) continuous welded	Concrete				All Route			None	All Route			Public
DZ-RL-RELI	DZ-RL-MAHD	Relizane (0km) - Tiaret (117km) - Mahdia (162km)				R-6-T-1-M=10	Narrow (1055mm)	Single	S33 (33kg/m) and others - Non welded	Steel, Wood and some concrete							None	All Route			Public
DZ-RL-RELI	DZ-RL-MOHA	Relizane (0km) - Mohammadia (49km)				R-2-M=4	Standard	Single	UIC 54 (54kg/m) - 44km Continuous welded, 5km non welded	Concrete				All Route			None	All Route			Public
DZ-RL-SAHR	DZ-RL-B-DZTN-GHAR	Souk Ahras (0km) - Tunisian Border (51.4km)				SA-5=6	Standard		UIC 54 (54kg/m) - 33.4km non welded; S33 (33kg/m) - 18km non welded	Steel							None				Public
DZ-RL-SAHR	DZ-RL-OKEB	Souk Ahras (0km) - Oued Keberit (56km)				SA-4-OK=6	Standard	Single	UIC 54 (54kg/m) - non welded	Steel				All Route			3kV DC	All Route			Public
DZ-RL-SKI	DZ-RL-RDJA	Skikda (0km) - Ramdane Djamel (19.5km)				S-1-RD=3	Standard	Single	UIC 54 (54kg/m) - continuous welded	Concrete				All Route			None	All Route			Public
DZ-RL-TABI	DZ-RL-OTLE	Tabia (0km) - Sidi Bel Abbès (52km) - Oued Tlelat (75km)				T-SBA-1-OT=4	Standard	Single	UIC 54 (54kg/m) - (i) 68km continuous welded, (ii)1 km non welded; (iii) S33 (33kg/m) - 6km non welded	(i) Concrete, (ii)&(iii) Steel				All Route			None	All Route			Public
DZ-RL-TABI	DZ-RL-RDEM	Tabia (0km) - Redjem Demouch (77km)				T-6-RD=8	Standard	Single	UIC 54 (54kg/m) - 13 km non welded; S33 (33kg/m) - 64km non welded	Steel							None				Public



RailRoutes

MTIN codeA	MTIN codeB	ROUTE	Junction (a)	Junction (b)	Junction (c)	No of Stations	Rail Gauge	Tracks	Rail Type	Sleepers	Signalling Block	Clearance Gauge	Axle Load mT	Passenger Trains	Passenger Trains - Length Max (m)	Passenger Trains - Speed Max (kph)	Electrified	Freight Trains	Freight Trains - Length Max (m)	Freight Trains - Speed Max (kph)	Operations
DZ-RL-TEBE	DZ-RL-DONK	Tebessa (0km) - Djebel Onk (108.5km)				T-2-D=4	Standard	Single	S33 (33kg/m) - non welded	Steel							None	All Route			Public
DZ-RL-TEBE	DZ-RL-EKOU	Tebessa (0km) - El Kouif (25km)				T-8-D=10	Standard	Single	S33 (33kg/m) - non welded	Steel, some Wooden				All Route			None	All Route			Public
DZ-RL-THEN	DZ-RL-BMAN	Thenia (0km) - Bouira (70km) - Beni Mansour (118km)				T-4-B-3-B=10	Standard	Single	UIC 54 (54kg/m) - 52km continuous welded, 66km non welded					All Route			None	All Route			Public
DZ-RL-THEN	DZ-RL-TOUZ	Thenia (0km) - Tizi Ouzou (52km)				T-3-T=5	Standard	Single	UIC 54 (54kg/m) - (i) 18km continuous welded, (ii) 34km non welded	(i) Concrete, (ii) Steel mainly				All Route			None	All Route			Public
DZ-RL-TIZI	DZ-RL-MASC	Tizi (0km) - Mascara (12km)				T-M=2	Narrow (1055mm)	Single									None	All Route			Public
DZ-RL-TIZI	DZ-RL-SAID	Tizi (0km) - Saida (71km)					Narrow (1055mm)	Single	S33 (33kg/m) (and others) - non welded	Steel							None	All Route			Public
EG-RL-AKEB	EG-RL-ALM	Abu Kebir (0km) - Mansoura (47.5km)				AK-14-M=16	Standard	Single	UIC 54 (54kg/m)	Concrete	Staff		20	All Route		70	None	All Route		50	Public