



RailRoutes

MTIN codeA	MTIN codeB	ROUTE	Junction (a)	Junction (b)	Junction (c)	No of Stations	Rail Gauge	Tracks	Rail Type	Sleepers	Signalling Block	Clearance Gauge	Axle Load mT	Passenger Trains	Passenger Trains - Length Max (m)	Passenger Trains - Speed Max (kph)	Electrified	Freight Trains	Freight Trains - Length Max (m)	Freight Trains - Speed Max (kph)	Operations
DZ-RL-ALG	DZ-RL-EHAR	Alger (0km) - El Harrach (10km)				A-4-EH=6	Standard	Double	UIC 54 (54kg/m) - continuous welded	Concrete				All Route			None	All Route			Public
DZ-RL-ATOU	DZ-RL-TOUG	Ain Touta (0km) - Biskra (85km) - Touggourt (302km)				A-6-B-7-T=16	Standard	Single	(i)UIC 54 (54kg/m) - 25km continuous welded: (ii)S33 (33kg/m) - 277km non welded	(i) Conc/wood, (ii) Wood/steel				To Biskra			None	All Route			Public
DZ-RL-AZW	DZ-RL-MOHA	Arzew (0km) - Mers El Hadjadj (16km) - (a) Oued Tinn (33km) - Mohammadia (51km)	To Mostaganem			A-2-MEH-1-OT-1-M=8	Standard	Single	S33 (33kg/m) - non welded	Wooden, some steel							None	All Route			Public
DZ-RL-BBAR	DZ-RL-EGOU	Bordj-Bou-Arerridj (0km) - Setif (70km) - El Gourzi (185km)				B-2-S-4-EG=9	Standard	Single	UIC 54 (54kg/m) - continuous welded	Concrete				All Route			None	All Route			Public
DZ-RL-B-DZMA-AABB	DZ-RL-GHAZ	(Morocco Border) Akid Abbas (0km) - Ghazaouet (54.7km)				AA-3-G=5	Standard	Single	S33 (33kg/m) - non welded	Steel, some Wooden							None	All Route			Public
DZ-RL-B-DZMA-AABB	DZ-RL-TABI	(Morocco Border) Akid Abbas (0km) - Maghnia (10km) - Tlemcen (69km) - Tabia (133km)				AA-M-3-T-1-T=8	Standard	Single	UIC 54 (54kg/m) - 10km non welded; S33 (33kg/m) - 123km non welded	Steel				All Route			None	All Route			Public
DZ-RL-BJA	DZ-RL-BMAN	Bejaia (0km) - Beni Mansour (88.6km)				B-10-BM=12	Standard	Single	(i)UIC 54 (54kg/m) - 31.3km continuous welded, 18.8km non-welded; (ii) S33 (33kg/m) - 38.5km non welded	(i) Concrete, (ii) Steel				All Route			None	All Route			Public
DZ-RL-BLID	DZ-RL-DJEL	Blida (0km) - Medea (49km) - Djelfa (276km)				B-M-8-D=11	Narrow (1055mm)	Single	S33 (33kg/m) and other types - Non welded	Wooden							None	All Route			Public
DZ-RL-BLID	DZ-RL-RELI	Blida (0km) - El Affroun (18km) - El Attaf (120km) - Chlef (159km) - Oued Sly (173km) - Relizane (246km)				B-2-EA-8-EA-1-C-OS-R=17	Standard	Double (0-19km, 111.3 - 173.8km) remainder Single	(i)UIC 54 (54kg/m) - 204.2km continuous welded, 23km non welded; (ii) S33 (33kg/m) - 18.7km non welded	(i) Concrete, (ii) Steel				All Route			None	All Route			Public



RailRoutes

MTIN codeA	MTIN codeB	ROUTE	Junction (a)	Junction (b)	Junction (c)	No of Stations	Rail Gauge	Tracks	Rail Type	Sleepers	Signalling Block	Clearance Gauge	Axle Load mT	Passenger Trains	Passenger Trains - Length Max (m)	Passenger Trains - Speed Max (kph)	Electrified	Freight Trains	Freight Trains - Length Max (m)	Freight Trains - Speed Max (kph)	Operations
DZ-RL-BMAN	DZ-RL-BBAR	Beni Mansour (0km) - Bordj-Bou-Arredj (68km)				B-2-B=4	Standard	Single	(i)UIC 54 (54kg/m) - 32km continuous welded, 21km non welded; (ii) S33 (33kg/m)-15km non welded	(i) Concrete, (ii) Steel				All Route			None	All Route			Public
DZ-RL-BOUC	DZ-RL-AAE	Boucheouf (0km) - Annaba (55km)				B-3-A=5	Standard	Single (0-44.5km), Double (44.5-55.0km)	UIC 54 (54kg/m) - (i) 31.5km non welded; (ii) 23.5km continuous welded	(i) Concrete, (ii) Conc/ Steel				All Route			3kV DC	All Route			Public
DZ-RL-BOUC	DZ-RL-GUEL	Boucheouf (0km) - Guelma (33km)				B-3-G=5	Standard	Single	S33 (33kg/m) - non welded	Steel							None	All Route			Public
DZ-RL-BOUC	DZ-RL-SAHR	Boucheouf (0km) - Souk Ahras (53km)				B-2-SA=4	Standard	Single	UIC 54 (54kg/m) - non welded	Steel, some Wooden				All Route			3kV DC	All Route			Public
DZ-RL-EGOU	DZ-RL-ATOU	El Gourzi (0km) - Batna (80km) - Ain Touta (116km)				E-4-B-A=7	Standard	Single	UIC 54 (54kg/m) - continuous welded	Concrete				All Route			None	All Route			Public
DZ-RL-EGOU	DZ-RL-CZL	El Gourzi (0km) - Ouled Rahmoun (10km) - El Khroub (22km) - Constantine (38km)				EG-OR-EK-C=4	Standard	Double	UIC 54 (54kg/m) - 37km continuous welded, 1 km non welded	Concrete				All Route			None	All Route			Public
DZ-RL-EHAR	DZ-RL-BLID	El Harrach (0km) - Blida (40km)				EH-5-B=7	Standard	Double	UIC 54 (54kg/m) - continuous welded	Concrete				All Route			None	From 8.7km to end			Public
DZ-RL-EHAR	DZ-RL-THEN	El Harrach (0km) - Thenia (43.2km)				EH-6-T=8	Standard	Double	UIC 54 (54kg/m) - Continuous welded	Concrete				All Route			None	All Route			Public
DZ-RL-ESEN	DZ-RL-BSF	Es Senia (0km) - Ain-Temouchent (69km) - Beni Saf (90.8km)				ES-8-AT-BS=11	Standard	Single	UIC 54 (54kg/m) - (i) 34.4km Continuous welded, (ii) 56.4km non welded	(i) Concrete, (ii) Mainly Steel				All Route			None	All Route			Public
DZ-RL-ESEN	DZ-RL-OTLE	Es Senia (0km) - Oued Tlalat (21km)				ES-OT=2	Standard	Double	UIC 54 (54kg/m) - Continuous welded	Concrete				All Route			None	All Route			Public
DZ-RL-MECH	DZ-RL-BECH	Mecheria (0km) - Naama (34km) - Bechar (360km)					Narrow (1055mm)	Single	UIC 33 (33kg/m)(and others) - Non welded	Steel/Wood/Concrete							None	All Route			Public



RailRoutes

MTIN codeA	MTIN codeB	ROUTE	Junction (a)	Junction (b)	Junction (c)	No of Stations	Rail Gauge	Tracks	Rail Type	Sleepers	Signalling Block	Clearance Gauge	Axle Load mT	Passenger Trains	Passenger Trains - Length Max (m)	Passenger Trains - Speed Max (kph)	Electrified	Freight Trains	Freight Trains - Length Max (m)	Freight Trains - Speed Max (kph)	Operations
EG-RL-AKEB	EG-RL-ALM	Abu Kebir (0km) - Mansoura (47.5km)				AK-14-M=16	Standard	Single	UIC 54 (54kg/m)	Concrete	Staff		20	All Route		70	None	All Route		50	Public
EG-RL-AKEB	EG-RL-ZAGA	Abu Kebir (0km) - Zagazig (23.0km)				AK-6-Z=8	Standard	Single	UIC 54 (54kg/m)	Concrete	Staff		20	All Route		70	None	All Route		50	Public
EG-RL-ALM	EG-RL-EMAT	Mansoura (0km) - El Matariya (71.2km)				M-23-EM=25	Standard	Single	UIC 54 (54kg/m)	Concrete	Staff		20	All Route		60	None				Public
EG-RL-ALM	EG-RL-MROU	Mansoura (0km) - Mahalet Rouh (38.6km)				M-3-MR=5	Standard	Double	UIC 54 (54kg/m)	Concrete			20	All Route		90	None	All Route		50	Public
EG-RL-ALY	EG-RL-MAMO	Alexandria (0km) - Sidi Gaber (4.8km) - Junction (Sidi Gaber) (5.6km)				A-1-SG-JN=3	Standard	Quadruple (i)(0-4.8km), Two Double (i)(ii)(4.8-5.6km)	(UIC 54 (54kg/m)	(i)Concrete, (ii) Wooden	Automatic		20	All Route		105/70	None	All Route			Public
EG-RL-ASW	EG-RL-ESAD	Aswan (0km) - El Sad El Ali (16km)					Standard	Double	UIC 54 (54kg/m)	Concrete	Tyris		20	All Route		60	None				Public
EG-RL-ASYU	EG-RL-BSUE	Asyut (0km) - El Minya (128km) - Beni Suef (251km)				A-24-EM-22-BS=49	Standard	Double	UIC 54 (54kg/m)	Concrete	Tyris		20	All Route		120	None	All Route		50	Public
EG-RL-ASYU	EG-RL-QENA	Asyut (0km) - Nag Hammadi (178km) - Qena (234km)				A-37-NH-11-Q=51	Standard	Double	UIC 54 (54kg/m)	Concrete	Tyris/Tokenless		20	All Route		110	None	All Route		50	Public
EG-RL-ATAR	EG-RL-EKHJ	Abu Tartur (0km) - Junction (El Kharg) (54km appr.)					Standard	Single	UIC 60 (60kg/m)	Concrete							None	All Route		70	Public
EG-RL-BALJ	EG-RL-BAAB	Junction (Baluz) (0km) - Bir Al Abd (40km appr.)				JN-3-BAA=4	Standard	Single						All Route			None				Public
EG-RL-BALJ	EG-RL-PSDE	Junction (Baluz) (0km) - Port Said East (43km appr.)					Standard	Single									None	All Route			Public
EG-RL-BARJ	EG-RL-BARO	Junction (Baris) - Baris Oasis (42km)				JN-3-BO	Standard	Single						All Route			None	All Route		60	Public
EG-RL-BENH	EG-RL-MINU	Benha (0km) - Minuf (25.9km)				B-8-M=10	Standard	Single	UIC 54 (54kg/m)	Steel	Staff			All Route		60	None				Public
EG-RL-BENH	EG-RL-TAN	Benha (0km) - Tanta (41.4km)				B-8-T=10	Standard	Double	UIC 54 (54kg/m)	Concrete	Automatic		20	All Route		140	None	All Route		50	Public
EG-RL-BOUS	EG-RL-MUTU	Bouseily (0km) - Mutubis (13.6km)				B-4-M=6	Standard	Single	S52 (52kg/m)	Steel	Staff		20	All Route		55/40	None	All Route			Public
EG-RL-BOUS	EG-RL-PRA	Bouseily (0km) - Rashid (14.8km)				B-2-R=4	Standard	Single	S52 (52kg/m) and S47(47kg/m)	Steel	Staff		20	All Route		70	None	All Route			Public



RailRoutes

MTIN codeA	MTIN codeB	ROUTE	Junction (a)	Junction (b)	Junction (c)	No of Stations	Rail Gauge	Tracks	Rail Type	Sleepers	Signalling Block	Clearance Gauge	Axle Load mT	Passenger Trains	Passenger Trains - Length Max (m)	Passenger Trains - Speed Max (kph)	Electrified	Freight Trains	Freight Trains - Length Max (m)	Freight Trains - Speed Max (kph)	Operations
EG-RL-BSUE	EG-RL-EWAS	Beni Suef (0km) - El Wasta (32km)				BS-7-EW=9	Standard	Double	UIC 54 (54kg/m)	Concrete	Automatic		20	All Route		120	None	All Route		50	Public
EG-RL-BSUE	EG-RL-NAZL	Beni Suef (0km) - Nazlat Shawish (11.9km)				BS-4-NS=6	Standard	Single	UIC 54 (54kg/m)	Steel	Staff		20	All Route		40	None	All Route		40	Public
EG-RL-CAI	EG-RL-EITH	Cairo (0km) - Imbaba (3.3km) - El Ithad (96km)				C-1-25-EI=28	Standard	Single	UIC 54 (54kg/m)	Concrete and Wooden	Automatic		20	All Route		70	None	All Route		50	Public
EG-RL-CAI	EG-RL-QALY	Cairo (0km) - Qalyub (14km)				C-2-Q=4	Standard	Quadruple	UIC 54 (54kg/m)	Concrete	Automatic		20	All Route		90/105	None	All Route		50	Public
EG-RL-DMN	EG-RL-ABIJ	Damanhur (0km) - Abis (51.1km) - Junction (Abis) (51.9km)				D-8-A-JN=10	Standard	Double	UIC 54 (54kg/m)	Concrete	Automatic		20	All Route		140/105	None	All Route		50	Public
EG-RL-DMN	EG-RL-DISU	Damanhur (0km) - Disuq (22.3km)				D-7-D=9	Standard	Single	UIC 54 (54kg/m) and S47 (47kg/m)	Concrete and Steel	Staff		20	All Route		60	None				Public
EG-RL-EFAI	EG-RL-AKES	El Faiyum (0km) - Abu Kesah (23.5km)				EF-4-AK=6	Standard	Single	(i)UIC 54 (54kg/m) and (ii) S47 (47kg/m)	(i)Concrete, (ii) Steel	Staff		20	All Route		70	None	All Route			Public
EG-RL-EFAI	EG-RL-SINN	El Faiyum (0km) - Sinnuris (11.8km)					Standard	Single	S52 (52kg/m)	Steel	Staff		20	All Route		50	None				Public
EG-RL-EKHJ	EG-RL-BARJ	Junction (El Kharg) (0km) - Junction (Baris) (30km appr.)					Standard	Single	UIC 60 (60kg/m)	Concrete				All Route		70	None	All Route			Public
EG-RL-EKHJ	EG-RL-EKHA	Junction (El Kharg) (0km) - El Kharg (10km appr.)					Standard	Single	UIC 60 (60kg/m)	Concrete				All Route			None	All Route			Public
EG-RL-EMAJ	EG-RL-CAI	Junction (El Maraziq) (0km) - Giza (22.8km) - Imbaba (32.5km) - Cairo (35.8km)				JN-7-G-1-I-C=11	Standard	Double	UIC 54 (54kg/m)	Concrete	Automatic		20	All Route		120/90	None	All Route		50	Public
EG-RL-EMAJ	EG-RL-ETEB	Junction (El Maraziq) (0km) - El Tebeen (6km appr.)					Standard	Single	UIC 54 (54kg/m)	Wooden	Staff		20	All Route		50	None	All Route			Public
EG-RL-EMAJ	EG-RL-MANA	Junction (El Maraziq) (0km) - Managim (Baharia Mine) (340km appr.)				JN-5-M=6	Standard	Single	UIC 54 (54kg/m)	Wooden	Staff		20	All Route		50	None	All Route			Public
EG-RL-ESAL	EG-RL-AKEB	El Salhiya (0km) - (a) Faqus (13.4km) - Abu Kebir (34.2km)	To Sama'na (10.1km)			ES-5-F-4-AK=12	Standard	Single	S47 (47kg/m)	Steel	Staff		20	All Route		60/70	None				Public



RailRoutes

MTIN codeA	MTIN codeB	ROUTE	Junction (a)	Junction (b)	Junction (c)	No of Stations	Rail Gauge	Tracks	Rail Type	Sleepers	Signalling Block	Clearance Gauge	Axle Load mT	Passenger Trains	Passenger Trains - Length Max (m)	Passenger Trains - Speed Max (kph)	Electrified	Freight Trains	Freight Trains - Length Max (m)	Freight Trains - Speed Max (kph)	Operations
EG-RL-ESAN	EG-RL-MROU	El Santa (0km) - Mahalat Rouh (18.7km)				ES-5-MR=7	Standard	Single	S52 (52kg/m) and S47 (47kg/m)	Steel	Staff		20	All Route		65	None	All Route		50	Public
EG-RL-ESAN	EG-RL-TAN	El Santa (0km) - Tanta (14.5km)				ES-2-T=4	Standard	Single	UIC 54 (54kg/m)	Steel	Staff		20	All Route		70/60	None	All Route		50	Public
EG-RL-ESAN	EG-RL-ZEFT	El Santa (0km) - Zefta (11.8km)				ES-4-Z=6	Standard	Single	UIC 54 (54kg/m)	Steel	Staff		20	All Route		60/70	None	All Route		50	Public
EG-RL-EWAS	EG-RL-EFAI	El Wasta (0km) - El Faiyum (37.7km)				EW-6-EF=8	Standard	Single	(i)UIC 54 (54kg/m) and (ii) S47 (47kg/m)	(i)Concrete, (ii) Steel	Staff		20	All Route		70	None	All Route			Public
EG-RL-EWAS	EG-RL-EMAJ	El Wasta (0km) - El Maraziq (55km) - Junction (El Maraziq) (56.3km)				EW-12-EM-JN=14	Standard	Double	UIC 54 (54kg/m)	Concrete	Automatic		20	All Route		120	None	All Route		50	Public
EG-RL-FERJ	EG-RL-BAAB	Junction (Ferdan) (0km) - Qantara East (30km) - Baluza (54km) - Junction (Baluza) (59km appr.)				JN-QE-1-B-JN=3	Standard	Single						All Route			None				Public
EG-RL-FERJ	EG-RL-PSD	Junction (Ferdan) (0km) - Qantara West (22.7km) - Port Said (67.9km)				JN-2-QW-4-PS=8	Standard	Single	UIC 54 (54kg/m)	Concrete	Staff		20	All Route		90/70	None	All Route		50	Public
EG-RL-IEBA	EG-RL-DMN	Itay El Barud (0km) - Damanhur (25.2km)				IEB-4-D=6	Standard	Double	UIC 54 (54kg/m)	Concrete	Automatic		20	All Route		140	None	All Route		50	Public
EG-RL-IEBA	EG-RL-EITH	Itay El Barud (0km) - El Ithad (26.7km)					Standard	Single	UIC 54 (54kg/m)	Concrete and Wooden	Staff		20	All Route		70	None	All Route		50	Public
EG-RL-KEBA	EG-RL-DAM	Kafr El Battikh (0km) - Damietta (7.2km)				KEB-1-D=3	Standard	Single	UIC 54 (54kg/m)	Concrete	Staff		20	All Route		90	None	All Route		50	Public
EG-RL-KEBA	EG-RL-DAMP	Kafr El Battikh (0km) - Damietta Port (11km appr.)					Standard	Single			Staff						None	All Route		60	Public
EG-RL-KEZA	EG-RL-IEBA	Kafr El Zayat (0km) - Itay El Barud (17.8km)				KEZ-1-IEL=3	Standard	Double	UIC 54 (54kg/m)	Concrete	Automatic		20	All Route		140	None	All Route		50	Public
EG-RL-KEZA	EG-RL-MINU	Kafr El Zayat (0km) - Minuf (49.9km)				KEZ-17-M=19	Standard	Single	S47 (47kg/m)	Wooden	Staff		20	All Route		60	None				Public
EG-RL-LXR	EG-RL-ASW	Luxor (0km) - Edfu (105km) - Aswan (208km)				L-23-E-24-A=50	Standard	Double	UIC 54 (54kg/m)	Concrete	Tyris		20	All Route		70/90	None	All Route		50	Public



RailRoutes

MTIN codeA	MTIN codeB	ROUTE	Junction (a)	Junction (b)	Junction (c)	No of Stations	Rail Gauge	Tracks	Rail Type	Sleepers	Signalling Block	Clearance Gauge	Axle Load mT	Passenger Trains	Passenger Trains - Length Max (m)	Passenger Trains - Speed Max (kph)	Electrified	Freight Trains	Freight Trains - Length Max (m)	Freight Trains - Speed Max (kph)	Operations
EG-RL-LXR	EG-RL-QENA	Luxor (0km) - Qena (62km)				L-11-Q=13	Standard	Double	UIC 54 (54kg/m)	Concrete	Tokenless		20	All Route		110	None	All Route		50	Public
EG-RL-MAMO	EG-RL-AQUI	Mamoura (0km) - Abu Quir (2.7km)				M-AQ=2	Standard	Double	UIC 54 (54kg/m)	Wooden	Automatic		20	All Route		70	None	All Route			Public
EG-RL-MAMO	EG-RL-BOUS	Mamoura (0km) - Bouseily (37km)				M-10-B=12	Standard	Single	UIC 52 (52kg/m) and S47 (47kg/m)	Steel	Staff		20	All Route		70	None	All Route			Public
EG-RL-MMAT	EG-RL-SMER	Mersa Matruh (0km) - Samla (11km) - El Alamein (184km) - Aamriya (272.4km) - (a)Jn (279km appr.) - Sidi Mergheb (283.5km)	From El Ithad			MM-S-12-EA-10-A-SM=27	Standard	Single	UIC 54 (54kg/m)	Steel	Staff			All Route		90	None	All Route		50	Public
EG-RL-MROU	EG-RL-QALL	Mahalet Rouh (0km) - Qallin (30.6km)				MR-8-Q=10	Standard	Single	UIC 54 (54kg/m) and S47 (47kg/m)	Concrete and Steel	Staff		20	All Route		60	None				Public
EG-RL-MROU	EG-RL-TAN	Mahalet Rouh (0km) - Tanta (14km)				MR-2-T=4	Standard	Double	UIC 54 (54kg/m)	Concrete	Tyris		20	All Route		90	None	All Route		50	Public
EG-RL-MUTU	EG-RL-DISU	Mutubis (0km) - Disuq (26.6km)				M-7-D=9	Standard	Single	S47 (47kg/m)	Steel	Staff		20	All Route		40	None	All Route			Public
EG-RL-MUTU	EG-RL-EQAS	Mutubis (0km) - El Qassabi (15km)				M-4-EQ=6	Standard	Single	S52 (52kg/m)	Steel	Staff		20	All Route		55/40	None	All Route			Public
EG-RL-NAZL	EG-RL-AESA	Nazlat Shawish (0km) - Abu El Sammad (11.6km)				NS-1-AES=3	Standard	Single	(i) S52 (52kg/m) and (ii) S46 (46kg/m)	(i) Steel, (ii) Wooden	Staff		20	All Route		15	None	All Route		15	Public
EG-RL-NAZL	EG-RL-ELAH	Nazlat Shawish (0km) - El Lahun (12.65km)				NS-3-EL=5	Standard	Single	UIC 54 (54kg/m)	Steel	Staff		20	All Route		40	None	All Route		40	Public
EG-RL-NEFI	EG-RL-FERJ	Nefisha (0km) - Ismalia (6.7km) - Junction (Ferdan) (16.7km)				N-1-I-1-JN=4	Standard	Double (0-6.7km), Single (6.7-16.7km)	UIC 54 (54kg/m)	Concrete	Tyris (to Ismalia) /Staff		20	All Route		90/70	None	All Route		50	Public
EG-RL-NEFI	EG-RL-ZAGA	Nefisha (0km) - Zagazig (72.2km)				N-13-Z=15	Standard	Double	UIC 54 (54kg/m)	Concrete	Tyris		20	All Route		90	None	All Route		50	Public
EG-RL-QABB	EG-RL-ABIJ	Qabbarri (0km) - Junction (Abis) (8.6km)				Q-1-JN=2	Standard	Double	UIC 54 (54kg/m)	Concrete	Tyris		20	All Route			None	All Route		50	Public
EG-RL-QABB	EG-RL-ALYP	Qabbarri (0km) - Alexandria Port (4km appr.)					Standard	Double						All Route		70	None	All Route			Public
EG-RL-QALL	EG-RL-DISU	Qallin (0km) - Disuq (20.3km)				Q-5-D=7	Standard	Single	UIC 54 (54kg/m) and S47 (47kg/m)	Concrete and Steel	Staff		20	All Route		60	None				Public



RailRoutes

MTIN codeA	MTIN codeB	ROUTE	Junction (a)	Junction (b)	Junction (c)	No of Stations	Rail Gauge	Tracks	Rail Type	Sleepers	Signalling Block	Clearance Gauge	Axle Load mT	Passenger Trains	Passenger Trains - Length Max (m)	Passenger Trains - Speed Max (kph)	Electrified	Freight Trains	Freight Trains - Length Max (m)	Freight Trains - Speed Max (kph)	Operations
EG-RL-QALL	EG-RL-SHER	Qallin (0km) - Sherbeen (81.1km)				Q-24-5=26	Standard	Single	UIC 54 (54kg/m) and S47 (47kg/m)	Steel	Staff		20	All Route		70	None				Public
EG-RL-QALY	EG-RL-BENH	Qalyub (0km) - Benha (30.9km)				Q-5-B=7	Standard	Double	UIC 54 (54kg/m)	Concrete	Automatic		20	All Route		140	None	All Route		50	Public
EG-RL-QALY	EG-RL-MINU	Qalyub (0km) - Minuf (51.9km)				Q-16-M=18	Standard	Single	S52 (52kg/m)	Steel	Staff		20	All Route		55/70	None				Public
EG-RL-QENA	EG-RL-BARJ	Qena (0km) - Junction (Baris) (365km appr.)					Standard	Single	UIC 60 (60kg/m)	Concrete							None	All Route		70	Public
EG-RL-QENA	EG-RL-SGA	Qena (0km) - Safaga (233km)				Q-12-S=14	Standard	Single	UIC 60 (60kg/m)	Concrete	Staff			All Route		60	None	All Route			Public
EG-RL-SEQA	EG-RL-EMAR	Shibeen El Qanater (0km) - El Marg (21.4km)				SEQ-10-EM=12	Standard	Single	UIC 54 (54kg/m)	Steel	Staff		20	All Route		70/40	None				Public
EG-RL-SEQA	EG-RL-QALY	Shibeen El Qanater (0km) - Qalyub (17.5km)				SEB-6-Q=8	Standard	Single	UIC 54 (54kg/m)	Concrete	Staff		20	All Route		70	None	All Route		50	Public
EG-RL-SGAJ	EG-RL-ABIJ	Junction (Sidi Gaber)(0km) - Junction (Abis) (3.2km)					Standard	Double	UIC 54 (54kg/m)	Concrete	Automatic		20	All Route		120	None	All Route			Public
EG-RL-SGAJ	EG-RL-MAMO	Junction (Sidi Gaber) (0km) - Mamoura (17.8km)				JN-10-M=11	Standard	Double	UIC 54 (54kg/m)	Wooden	Automatic		20	All Route		70	None	All Route			Public
EG-RL-SHER	EG-RL-ALM	Sherbeen (0km) - Mansoura (21.8km)				S-9-M=11	Standard	Single	UIC 54 (54kg/m)	Concrete	Staff		20	All Route		90	None	All Route		50	Public
EG-RL-SHER	EG-RL-KEBA	Sherbeen (0km) - (a) Kafr Saad (25.8km) - Kafr El Battikh (33.6km)	To Kafr Silman (3.1km)			S-6-KS-1-KEB=10	Standard	Single	UIC 54 (54kg/m)	Concrete	Staff		20	All Route		90	None	All Route		50	Public
EG-RL-SMER	EG-RL-EDK	Sidi Mergheb (0km) - El Dikheila (5.5km appr.)					Standard	Single									None	All Route		30	Public
EG-RL-SMER	EG-RL-EITH	Sidi Mergheb (0km) - (a) Jn (4.5km appr.) - El Ithad (96.5km appr.)	To Mersa Matruh				Standard	Single	UIC 54 (54kg/m)	Steel	Staff		20				None	All Route			Public
EG-RL-SMER	EG-RL-QABB	Sidi Mergheb (0km) - Qabbari (11.5km)				SM-4-Q=6	Standard	Double	UIC 54 (54kg/m)	Steel	Tyris			All Route		90	None	All Route		50	Public
EG-RL-SUZ	EG-RL-AIS	Suez (0km) - Adabiya (15km appr.) - Sokhna (50km appr.)															None	All Route			Public
EG-RL-SUZ	EG-RL-ASHA	(a)Suez (0km) - Ain Shams (134.7km)	To Port Tewfiq (3.2km)			S-14-AS=16	Standard	Single	UIC 54 (54kg/m)	Steel	Staff		20	All Route		90	None	All Route		50	Public



RailRoutes

MTIN codeA	MTIN codeB	ROUTE	Junction (a)	Junction (b)	Junction (c)	No of Stations	Rail Gauge	Tracks	Rail Type	Sleepers	Signalling Block	Clearance Gauge	Axle Load mT	Passenger Trains	Passenger Trains - Length Max (m)	Passenger Trains - Speed Max (kph)	Electrified	Freight Trains	Freight Trains - Length Max (m)	Freight Trains - Speed Max (kph)	Operations
EG-RL-SUZ	EG-RL-NEFI	(a)Suez (0km) - Nefisha (87.8km)	To Port Tewfiq (3.2km)			S-17-N=19	Standard	Double	UIC 54 (54kg/m) and UIC 52 (52kg/m)	Steel	Staff		20	All Route		55	None	All Route		50	Public
EG-RL-TAN	EG-RL-KEZA	Tanta (0km) - Kafr El Zayat (17.8km)				T-2-KEZ=4	Standard	Double	UIC 54 (54kg/m)	Concrete	Automatic		20	All Route		140	None	All Route		50	Public
EG-RL-TAN	EG-RL-MINU	Tanta (0km) - Minuf (41.7km)				T-9-M=11	Standard	Single	S52 (52kg/m)	Steel	Staff		20	All Route		55/70	None				Public
EG-RL-TURA	EG-RL-ABBA	Tura (0km) - Abbaseya (15km)				T-2-A=4	Standard	Single	S47 (47kg/m)	Steel	Staff						None	All Route		40	Public
EG-RL-TURA	EG-RL-ETEB	Tura (0km) - El Tebeen (24km)				T-3-ET=5	Standard	Single	S47 (47kg/m)	Steel	Staff						None	All Route		40	Public
EG-RL-ZAGA	EG-RL-BENH	Zagazig (0km) - Benha (35.3km)				Z-2-B=4	Standard	Double	UIC 54 (54kg/m)	Concrete	Tyris		20	All Route		90	None	All Route		50	Public
EG-RL-ZAGA	EG-RL-SEQA	Zaagazig (0km) - Bilbeis (18.2km) - Shibeen El Qanater (44.8km)				Z-3-B-6-SEQ=12	Standard	Double	UIC 54 (54kg/m)	Concrete	Staff		20	All Route		70	None	All Route		50	Public
EG-RL-ZEFT	EG-RL-BENH	Zefta (0km) - Benha (33.8km)				Z-11-B=13	Standard	Single			Staff		20	All Route		70	None	All Route		50	Public
EG-RL-ZEFT	EG-RL-ZAGA	Zefta (0km) - Zagazig (30km)				Z-12-Z=14	Standard	Single	UIC 54 (54kg/m)	Steel	Staff		20	All Route		60/70	None	All Route		50	Public