



RailRoutes

MTIN codeA	MTIN codeB	ROUTE	Junction (a)	Junction (b)	Junction (c)	No of Stations	Rail Gauge	Tracks	Rail Type	Sleepers	Signalling Block	Clearance Gauge	Axle Load mT	Passenger Trains	Passenger Trains - Length Max (m)	Passenger Trains - Speed Max (kph)	Electrified	Freight Trains	Freight Trains - Length Max (m)	Freight Trains - Speed Max (kph)	Operations
SY-RL-AFJW	SY-RL-ASHA	Al Fajwa (0km) - Al Sharqiya (29km)				AF-1-AS=3	Standard	Single	50kg/m - Non welded; Elastic Fastenings	Concrete	Manual	>UIC GC (CFS)	20				None	All Route	600	80	Public
SY-RL-AFJW	SY-RL-KHUN	Al Fajwa (0km) - Khunafis Mine (5.5km)					Standard	Single	50kg/m - Non welded; Elastic Fastenings	Concrete	Manual	>UIC GC (CFS)	20				None	All Route	600	80	Public
SY-RL-ALP	SY-RL-B-SYTR-TAHT	Aleppo (0km) - Muslimiyah (14.3km) - Maydan Ikbis (116.7km) - Turkey Border (118.1km)				A-M-4-MI=7	Standard	Single	P43 (43kg/m) - Non welded; Rigid Fastenings	Wooden	Manual	>UIC GC (CFS)	17	All Route		40	None	All Route	350	40	Public
SY-RL-ALP	SY-RL-JUBJ	Aleppo (0km) - Junction (Jubrin) (5.5km)				A-JN=1	Standard	Single	P50 (50kg/m) - Non welded; Rigid Fastenings	Concrete	Manual	>UIC GC (CFS)	20	All Route		100	None	All Route	600	80	Public
SY-RL-ASAD	SY-RL-ATHA	Al Sadaqa (0km) - Ath Thawra Dam (10km)					Standard	Single			Manual	>UIC GC (CFS)		All Route			None	All Route			Public
SY-RL-ASAD	SY-RL-DEZJ	Al Sadaqa (0km) - Ar Raqqa (57.1km) - Deir ez Zor (Freight) (186.5km) - Junction (Deir ez Zor) (188km)				AS-3-AR-6-DEZF-JN=12	Standard	Single	P50 (50kg/m) - Non welded; Rigid Fastenings	Concrete	Manual	>UIC GC (CFS)	20	All Route		100	None	All Route	600	80	Public
SY-RL-DAMK	SY-RL-MHIN	Damascus Kadem (0km) - (a) Damascus Freight (6.7km) - M'hine (137.1km)	From Der'a			DK-DF-6-M=9	Standard	Single	50kg/m - Non welded; Elastic Fastenings	Concrete	Manual	>UIC GC (CFS)	20	All Route		100	None	All Route	600	80	Public
SY-RL-DAMK	SY-RL-QDR	Damascus Kadem (0km) - Der'a (123.2km)				DK-D=2	Narrow (1050mm)	Single	22kg/m - Non welded; Rigid Fastenings	Steel	Manual	>UIC GC (CFS)	10.5	All Route		60	None	All Route	200	40	Public
SY-RL-DEZ	SY-RL-DEZJ	Deir ez Zor (0km) - Junction (Deir ez Zor) (5.1km)				DEZ-JN=1	Standard	Single	P50 (50kg/m) - Non welded; Rigid Fastenings	Concrete	Manual	>UIC GC (CFS)	20	All Route		100	None	All Route	600	80	Public
SY-RL-DEZJ	SY-RL-KACJ	Junction (Deir ez Zor) (0km) - Al Hasakah (135km) - Al Qamishli (New) (213.1km) - Junction (Al Qamishli) (215.2km)				JN-5-AH-3-AQN-JN=10	Standard	Single	P50 (50kg/m) - Non welded; Rigid Fastenings	Concrete	Manual	>UIC GC (CFS)	20	All Route		100	None	All Route	600	80	Public
SY-RL-HMS	SY-RL-KHAJ	Homs (0km) - (a) Jn (2.4km) - Junction (Kharbetin) (5.9km)	To Homs (Freight) , Damascus			H-JN=1	Standard	Single	P50 (50kg/m) - Non welded; Elastic Fastenings	Concrete	Manual	>UIC GC (CFS)	20	All Route		100	None	All Route	600	80	Public



RailRoutes

MTIN codeA	MTIN codeB	ROUTE	Junction (a)	Junction (b)	Junction (c)	No of Stations	Rail Gauge	Tracks	Rail Type	Sleepers	Signalling Block	Clearance Gauge	Axle Load mT	Passenger Trains	Passenger Trains - Length Max (m)	Passenger Trains - Speed Max (kph)	Electrified	Freight Trains	Freight Trains - Length Max (m)	Freight Trains - Speed Max (kph)	Operations
SY-RL-JUBJ	SY-RL-ASAD	Junction (Jubrin) (0km) - Jubrin (11.1km) - Al Sadaqa (141.1km)				JN-J-6-AS=8	Standard	Single	P50 (50kg/m) - Non welded; Rigid Fastenings	Concrete	Manual	>UIC GC (CFS)	20	All Route		100	None	All Route	600	80	Public
SY-RL-KACJ	SY-RL-B-IQSY-YARU	Junction (Al Qamishli) (0km) - Al Ya'rubiyah (77.6km) - Iraq Border (78.5km)				JN-2-AY=3	Standard	Single	P50 (50kg/m) - Non welded; Rigid Fastenings	Wooden	Manual	>UIC GC (CFS)	17	All Route		100	None	All Route	350	80	Public
SY-RL-KACJ	SY-RL-B-SYTR-NUQA	Junction (Al Qamishli) (0km) - Al Qamishli (Old) (1.5km) - Turkey Border				JN-AQ=1	Standard	Single	P50 (50kg/m) - Non welded; Rigid Fastenings	Wooden	Manual	>UIC GC (CFS)	17	All Route		100	None	All Route	350	80	Public
SY-RL-KHAJ	SY-RL-JUBJ	Junction (Kharbetin) (0km) - Hama (50.5km) - (a) Wudehi (176km) - Junction (Jubrin) (184.5km)	From Latakia			JN-3-H-5-W-1-JN=11	Standard	Single	P50 (50kg/m) - Non welded; Elastic Fastenings (0-176km); remainder Rigid	Concrete	Manual	>UIC GC (CFS)	20	All Route		100	None	All Route	600	80	Public
SY-RL-KHAJ	SY-RL-SHAJ	Junction (Kharbetin) (0km) - Akkari (58.2km) - (a) Tartous (96.2km) - Baniyas (134.1km) - Junction (Sharbit) (176.4km)	To Tartous Port (4km)			JN-4-A-1-T-2-B-3-JN=13	Standard	Single	P50 (50kg/m) - Non welded; Elastic Fastenings (0-96.2km); remainder Rigid	Concrete		>UIC GC (CFS)	20	All Route		100	None	All Route	600	80	Public
SY-RL-LTK	SY-RL-SHAJ	Latakia (0km) - (a) Jn (0.6km) - Latakia Freight (2.1km) - Junction (Sharbit) (5.6km)	To Old and New Port			L-LF-JN=2	Standard	Single	P50 (50kg/m) - Non welded; Rigid Fastenings	Concrete	Manual	>UIC GC (CFS)	20	All Route		100	None	All Route	600	80	Public
SY-RL-LTKP	SY-RL-SHAJ	Latakia Port (New) (0km) - (a) Jn (3.5km) - (b) Jn (6.5km) - Latakia Freight (8km) - Junction (Sharbit) (11.5km)	To Old Port	From Latakia		LP-LF-JN=2	Standard	Single			Manual	>UIC GC (CFS)		All Route			None	All Route			Public
SY-RL-MHIN	SY-RL-AFJW	M'hine (0km) - Al Fajwa (82.4km)				M-4-AF=6	Standard	Single	P50 (50kg/m) - Non welded; Elastic Fastenings	Concrete	Manual	>UIC GC (CFS)	20				None	All Route	600	80	Public



RailRoutes

MTIN codeA	MTIN codeB	ROUTE	Junction (a)	Junction (b)	Junction (c)	No of Stations	Rail Gauge	Tracks	Rail Type	Sleepers	Signalling Block	Clearance Gauge	Axle Load mT	Passenger Trains	Passenger Trains - Length Max (m)	Passenger Trains - Speed Max (kph)	Electrified	Freight Trains	Freight Trains - Length Max (m)	Freight Trains - Speed Max (kph)	Operations
SY-RL-MHIN	SY-RL-HMS	M'hine (0km) - Homs Freight (63.7km) - (a) Jn (65.4km) - Homs (67.8km)	To Aleppo , Tartous			M-3-HF-H=6	Standard	Single	50kg/m - Non welded; Elastic Fastenings	Concrete	Manual	>UIC GC (CFS)	20	All Route		100	None	All Route	600	80	Public
SY-RL-QDR	SY-RL-BASH	Der'a (0km) - Gasim Jn (5.6km) - Busra As Sham (39.5km)				D-3-BAS=5	Narrow (1050mm)	Single	22kg/m - Non welded; Rigid Fastenings		Manual	>UIC GC (CFS)	10.5	All Route		30	None	All Route		30	Public
SY-RL-QDR	SY-RL-B-JOSY-DAMA	Der'a (0km) - Gasim Jn (5.6km) - Nasib (13km) - Jordan Border (16km)				D-N=2	Narrow (1050mm)	Single	22kg/m - Non welded; Rigid Fastenings	Steel	Manual	>UIC GC (CFS)	10.5	All Route		60	None	All Route	200	40	Public
SY-RL-SHAJ	SY-RL-JUBJ	Junction (Sharbit) (0km) - Al Kabir (5.8km) - (a) Wudehi (179km) - Junction (Jubrin) (187.6km)	From Homs , Damascus			JN-AK-9-W-1-JN=12	Standard	Single	P50 (50kg/m) - Non welded; Rigid Fastenings	Concrete	Manual	>UIC GC (CFS)	20	All Route		100	None	All Route	600	80	Public