



RailRoutes

MTIN codeA	MTIN codeB	ROUTE	Junction (a)	Junction (b)	Junction (c)	No of Stations	Rail Gauge	Tracks	Rail Type	Sleepers	Signalling Block	Clearance Gauge	Axle Load mT	Passenger Trains	Passenger Trains - Length Max (m)	Passenger Trains - Speed Max (kph)	Electrified	Freight Trains	Freight Trains - Length Max (m)	Freight Trains - Speed Max (kph)	Operations
TR-RL-ADA	TR-RL-TOPR	Adana (0km) - Toprakkale (78.4km)				A-11-T=13	Standard	Single	49kg/m - Continuous welded; Rigid Fastenings	Concrete	Manual	TCDD S	20	All Route		100	None	All Route	750	80	Public
TR-RL-ADA	TR-RL-YEN	Adana (0km) - Yenice (24km)				A-5-Y=7	Standard	Double	49kg/m - Continuous welded; Rigid Fastenings	Concrete	Manual	TCDD S	20	All Route		100	None	All Route	750	80	Public
TR-RL-AFY	TR-RL-KARA	Afyon (0km) - Karakuyu (114.2km)				A-8-K=10	Standard	Single	49kg/m - Non welded; Rigid Fastenings	Concrete	Manual	TCDD S	20	All Route		80	None	All Route	750	60	Public
TR-RL-AFY	TR-RL-KYA	Afyon (0km) - Konya (272.5km)				A-23-K=25	Standard	Single	49kg/m - Non welded; Rigid Fastenings	Concrete	Manual	TCDD S	20	All Route		100	None	All Route	750	80	Public
TR-RL-ALAY	TR-RL-AFY	Alayunt (0km) - Afyon (94.4km)				A-11-A=13	Standard	Single	49kg/m - Non welded; Rigid Fastenings	Concrete	Manual	TCDD S	20	All Route		100	None	All Route	750	80	Public
TR-RL-ALAY	TR-RL-KTY	Alayunt (0km) - Kutahya (10.2km)				A-1-K=3	Standard	Single	49kg/m - Continuous welded; Rigid Fastenings	Concrete	Manual	TCDD S	20	All Route		100	None	All Route	750	80	Public
TR-RL-AMY	TR-RL-KALI	Amasya (0km) - Kalin (244.7km)				A-23-K=25	Standard	Single	Non welded; Rigid Fastenings		Manual	TCDD S	20	All Route		80/120	None	All Route	750	80/60	Public
TR-RL-AMY	TR-RL-SSX	Amasya (0km) - Samsun (131.8km)				A-14-S=16	Standard	Single	Non welded; Rigid Fastenings		Manual	TCDD S	20	All Route		80	None	All Route	750	80	Public
TR-RL-ANK	TR-RL-IRMA	Ankara (0km) - Kayas (12.3km) - Irmak (69.7km)				A-11-K-7-I=21	Standard	Double (0-12.3km), Single (12.3-69.7km)	49kg/m - Continuous welded; Rigid Fastenings	Concrete	Automatic	TCDD S	20	All Route		120/100	25kV (0-12.3km)	All Route	750	80	Public
TR-RL-ANK	TR-RL-PTL	Ankara (0km) - (a) Sincankoy (25.2km) - Polati (89.9km)	To Yenikent (7.7km)			A-14-S-7-P=24	Standard	Double (0-25.2km), Single (25.2-89.9km)	49kg/m - Non welded; Rigid Fastenings	Concrete	Automatic	TCDD S	20	All Route		120	25kV	All Route	750	80	Public
TR-RL-ARIF	TR-RL-ADZ	Arifye (0km) - Adapazari (8.5km)				A-2-A=4	Standard	Double	Non welded; Rigid Fastenings			TCDD S	20	All Route			25kV	All Route	750	80	Public
TR-RL-ARIF	TR-RL-ESK	Arifiye (0km) - Bilecik (100.3km) - (a) Karagozler (172.3km) - Eskisehir (181.9km)	To Afyon via Enveriye Eskisehir			A-12-B-8-K-E=24	Standard	Single (0-148.6km), Double (148.6-181.9km)	49kg/m - Continuous welded; Rigid Fastenings	Concrete	Automatic	TCDD S	20	All Route		120	25kV	All Route	750	80	Public
TR-RL-BOGA	TR-RL-ASR	Bogazkopru (0km) - Kayseri (15km)				B-1K=3	Standard	Single	49kg/m - Continuous welded; Rigid Fastenings	Concrete	Automatic	TCDD S	20	All Route		120	None	All Route	750	80	Public
TR-RL-BOGA	TR-RL-ULUK	Bogazkopru (0km) - Nigde (112.7km) - Ulukisla (171.8km)				B-7-N-7-U=17	Standard	Single	49kg/m - Continuous welded; Rigid Fastenings	Concrete	Manual	TCDD S	20	All Route		100	None	All Route	750	80	Public
TR-RL-BOST	TR-RL-CETI	Bostankaya (0km) - Cetinkaya (83.4km)				B-11-C=13	Standard	Single	49kg/m - Continuous welded; Rigid Fastenings	Concrete	Automatic	TCDD S	20	All Route		100	None	All Route	750	80	Public



RailRoutes

MTIN codeA	MTIN codeB	ROUTE	Junction (a)	Junction (b)	Junction (c)	No of Stations	Rail Gauge	Tracks	Rail Type	Sleepers	Signalling Block	Clearance Gauge	Axle Load mT	Passenger Trains	Passenger Trains - Length Max (m)	Passenger Trains - Speed Max (kph)	Electrified	Freight Trains	Freight Trains - Length Max (m)	Freight Trains - Speed Max (kph)	Operations
TR-RL-BOST	TR-RL-HANL	Bostankaya (0km) - Hanli (44km)				B-1-H=3	Standard	Single	49kg/m	Concrete	Automatic	TCDD S	20				None	All Route	750	50	Public
TR-RL-BOZA	TR-RL-EGI	Bozanonu (0km) - Egirdir (31.3km)				B-2-E=4	Standard	Single	Non welded; Rigid Fastenings		Manual			All Route			None	All Route			Public
TR-RL-BOZA	TR-RL-ISE	Bozanonu (0km) - Isparta (13.4km)				B-1-I=3	Standard	Single	Non welded; Rigid Fastenings		Manual		20	All Route			None	All Route			Public
TR-RL-BZI	TR-RL-BDM	Balikesir (0km) - Bandirma (101km)				B-14-B=16	Standard	Single	Non welded; Rigid Fastenings		Manual	TCDD S	20	All Route		100	None	All Route	750	80	Public
TR-RL-BZI	TR-RL-MAM	Balikesir (0km) - Soma (82.1km) - Manisa (174.6km)				B-12-S-16-M=31	Standard	Single	Non welded; Rigid Fastenings		Manual	TCDD S	20	All Route		100	None	All Route	750	80	Public
TR-RL-CATA	TR-RL-ODE	Catal (0km) - Odemis (26.4km)				C-5-O=7	Standard	Single	Non welded; Rigid Fastenings		Manual			All Route			None	All Route			Public
TR-RL-CATA	TR-RL-TRE	Catal (0km) - Tire (11km)				C-2-T=4	Standard	Single	Non welded; Rigid Fastenings		Manual			All Route			None				Public
TR-RL-CETI	TR-RL-DIVR	Cetinkaya (0km) - Demirdag (61.4km) - Divrigi (64.8km)				C-7-D-D=10	Standard	Single	Non welded; Rigid Fastenings		Automatic	TCDD S	20	All Route		100	25kV	All Route	750	80	Public
TR-RL-CETI	TR-RL-MLX	Cetinkaya (0km) - Malatya (139.8km)				C-13-M=15	Standard	Single	49kg/m - Continuous welded; Rigid Fastenings	Concrete	Automatic	TCDD S	20	All Route		80	25kV	All Route	750	80	Public
TR-RL-DIY	TR-RL-KURT	Diyarbakir (0km) - Batman (90.5km) - Kurtalan (159.3km)				D-12-B-4-K=19	Standard	Single		Steel and Wooden	Manual	TCDD S	20	All Route		80	None	All Route	750	60	Public
TR-RL-DIY	TR-RL-YOLC	Diyarbakir (0km) - Yolcati (158.6km)				D-13-Y=15	Standard	Single		Steel and Wooden	Manual	TCDD S	20	All Route		80	None	All Route	750	50	Public
TR-RL-ERZ	TR-RL-DIVR	Erzurum (0km) - Erzincan (214.9km) - Divrigi (370.4km)				E-24-E-16-D=43	Standard	Single	Non welded; Rigid Fastenings	Mixed	Manual	TCDD S	20	All Route		80/100	None	All Route	750	60/80	Public
TR-RL-ERZ	TR-RL-KSY	Erzurum (0km) - Kars (216.1km)				E-24-K=26	Standard	Single	Non welded; Rigid Fastenings	Mixed	Manual	TCDD S	20	All Route		80	None	All Route	750	80	Public
TR-RL-ESK	TR-RL-ALAY	Eskisehir (0km) - Alayunt (66.9km)				E-8-A=10	Standard	Single	49kg/m - Continuous welded; Rigid Fastenings	Concrete	Manual	TCDD S	20	All Route		100	None	All Route	750	80	Public
TR-RL-ESK	TR-RL-PTL	Eskisehir (0km) - Polatli (173.3km)				E-16-P=18	Standard	Double (0-9.2km), Single (9.2-173.3km)	Mostly 49kg/m - Non welded; Rigid Fastenings	Mainly Concrete	Automatic	TCDD S	20	All Route		120	25kV	All Route	750	80	Public



RailRoutes

MTIN codeA	MTIN codeB	ROUTE	Junction (a)	Junction (b)	Junction (c)	No of Stations	Rail Gauge	Tracks	Rail Type	Sleepers	Signalling Block	Clearance Gauge	Axle Load mT	Passenger Trains	Passenger Trains - Length Max (m)	Passenger Trains - Speed Max (kph)	Electrified	Freight Trains	Freight Trains - Length Max (m)	Freight Trains - Speed Max (kph)	Operations
TR-RL-FEVZ	TR-RL-B-SYTR-TAHT	Fevzipasa (0km) - Tahtakopru (33.2km) - Syria Border (37km)				F-2-T=4	Standard	Single		Steel and Wooden	Manual	TCDD S	19	All Route		60	None	All Route	750	60	Public
TR-RL-FEVZ	TR-RL-KOPR	Fevzipasa (0km) - Kopruagzi (52.3km)				F-3-K=5	Standard	Single	49kg/m - Continuous welded; Rigid Fastenings	Concrete	Automatic	TCDD S	20	All Route		80	25kV	All Route	750	80	Public
TR-RL-GONC	TR-RL-DNZ	Goncali (0km) - Denizli (9.4km)				G-D=2	Standard	Single	Non welded; Rigid Fastenings		Manual			All Route			None	All Route			Public
TR-RL-GONC	TR-RL-ORTA	Goncali (0km) - Nazilli (76km) - Aydin (121.2km) - Ortaklar (151.8km)				G-15-N-11-A-6-O=36	Standard	Single	Non welded; Rigid Fastenings		Manual	TCDD S	20	All Route		100	None	All Route	750	60	Public
TR-RL-GONC	TR-RL-SUTL	Goncali (0km) - Sutlac (105.3km)				G-13-S=15	Standard	Single	Non welded; Rigid Fastenings		Manual	TCDD S	20	All Route		80	None	All Route	750	60	Public
TR-RL-GUMU	TR-RL-BDR	Gumusgun (0km) - Burdur (23.9km)				G-3-B=5	Standard	Single	Non welded; Rigid Fastenings		Manual		20	All Route			None	All Route			Public
TR-RL-GUMU	TR-RL-BOZA	Gumusgun (0km) - Bozanonu (15.4km)				G-2-B=4	Standard	Single	Non welded; Rigid Fastenings		Manual			All Route				All Route			Public
TR-RL-HANL	TR-RL-ASR	Hanlı (0km) - Kayseri (153.4km)				H-12-K=14	Standard	Single	49kg/m - Continuous welded; Rigid Fastenings	Concrete	Automatic	TCDD S	20	All Route		80	None	All Route	750	50	Public
TR-RL-HANL	TR-RL-KALI	Hanlı (0km) - Kalin (45km)				H-4-K=6	Standard	Single	49kg/m - Continuous welded; Rigid Fastenings	Concrete	Automatic	TCDD S	20	All Route		80	None	All Route	750	50	Public
TR-RL-HAY	TR-RL-ARIF	Istanbul (Haydarpara) (0km) - Derince (83.8km) - Izmit (90.8km) - Arifye (131.1km)				H-36-D-1-I-10-A=51	Standard	Double	Mostly 49kg/m - Non welded; Rigid Fastenings, some elastic fastenings between 0-44km	Mainly Concrete	Automatic	TCDD S	20	All Route		120	25kV	All Route	750	80	Public
TR-RL-IRMA	TR-RL-BOGA	Irmak (0km) - Kirrikale (22.5km) - Yerkoy (135.7km) - Bogazkopru (295.2km)				I-2-K-8-Y-16-B=30	Standard	Single	49kg/m - Continuous welded; Rigid Fastenings	Concrete	Automatic	TCDD S	20	All Route		100/120	None	All Route	750	80	Public
TR-RL-IRMA	TR-RL-CKR	Irmak (0km) - Cankiri (102.2km)				I-8-C=10	Standard	Single	Mostly 49kg/m - Non welded; Rigid Fastenings (some Elastic Fastenings)	Concrete	Manual	TCDD S	20	All Route		100	None	All Route	750	80	Public



RailRoutes

MTIN codeA	MTIN codeB	ROUTE	Junction (a)	Junction (b)	Junction (c)	No of Stations	Rail Gauge	Tracks	Rail Type	Sleepers	Signalling Block	Clearance Gauge	Axle Load mT	Passenger Trains	Passenger Trains - Length Max (m)	Passenger Trains - Speed Max (kph)	Electrified	Freight Trains	Freight Trains - Length Max (m)	Freight Trains - Speed Max (kph)	Operations
TR-RL-KARA	TR-RL-GUMU	Karakuyu (0km) - Gumusgun (32.9km)				K-2-G=4	Standard	Single	Non welded; Rigid Fastenings		Manual			All Route			None	All Route			Public
TR-RL-KARK	TR-RL-SENY	Karkamis (0km) - Senyurt (266.5km)				K-13-S=15	Standard	Single		Steel and Wooden	Manual	TCDD S	19	All Route		80	None	All Route	750	80	Public
TR-RL-KBK	TR-RL-CKR	Karabuk (0km) - Cankiri (192km)				K-17-C=19	Standard	Single	Mostly 49kg/m - Non welded; Rigid Fastenings (some Elastic Fastenings)	Concrete	Manual	TCDD S	20	All Route		100	None	All Route	750	60	Public
TR-RL-KBK	TR-RL-ZON	Karabuk (0km) - Filyos (95.9km) - (a) Zonguldak (120.8km)	To Kozlu (4.2km)			K-13-F-7-Z=23	Standard	Single	Mostly 49kg/m - Non welded; Rigid Fastenings	Concrete	Manual	TCDD S	20	All Route		100	None	All Route	750	60	Public
TR-RL-KMN	TR-RL-KYA	Karaman (0km) - Konya (102.3km)				K-9-K=11	Standard	Single	49kg/m - Continuous welded; Rigid Fastenings	Concrete	Manual	TCDD S	20	All Route		100	None	All Route	750	80	Public
TR-RL-KMN	TR-RL-ULUK	Karaman (0km) - Ulukisla (135.3km)				K-15-U=17	Standard	Single	49kg/m - Continuous welded; Rigid Fastenings	Concrete	Manual	TCDD S	20	All Route		100	None	All Route		80	Public
TR-RL-KOPR	TR-RL-KCM	Kopruagzi (0km) - Kahramanmaras (27.9km)				K-2-K=4	Standard	Single			Manual	TCDD S					None	All Route			Public
TR-RL-KOPR	TR-RL-NARL	Kopruagzi (0km) - Narli (16.4km)				K-N=2	Standard	Single	49kg/m - Continuous welded; Rigid Fastenings	Concrete	Automatic	TCDD S	20	All Route		80	25kV	All Route	750	80	Public
TR-RL-KSY	TR-RL-B-AMTR-DOAK	Kars (0km) - Mezra (13.7km) - Dogukapi (63.3km) - Armenia Border (64.2km)				K-M-6-D=9	Standard	Single			Manual	TCDD S	20	Kars - Dogukapi		80	None	Kars - Dogukapi	750	80	Public
TR-RL-KSY	TR-RL-B-GETR-AKTA	Kars (0km) - Mezra (13.7km) - Aktas (82km) - Georgia Border					Standard	Single													Public
TR-RL-KTY	TR-RL-SEYI	Kutahya (0km) - Seyitomer (26.5km)				K-1-S=3	Standard	Single			Manual	TCDD S	20				None	All Route			Public
TR-RL-KTY	TR-RL-TVS	Kutahya (0km) - Tavsanli (50.1km)				K-3-T=5	Standard	Single	49kg/m - Continuous welded; Rigid Fastenings	Concrete	Manual	TCDD S	20	All Route		100	None	All Route	750	80	Public
TR-RL-MAM	TR-RL-ASH	Manisa (0km) - Alasehir (102.9km)				M-15-A=17	Standard	Single	Non welded; Rigid Fastenings		Manual	TCDD S	20	All Route		100	None	All Route	750	80	Public
TR-RL-MAM	TR-RL-MNM	Manisa (0km) - Menemen (34.4km)				M-6-M=8	Standard	Single	Non welded; Rigid Fastenings		Manual	TCDD S	20	All Route		100	None	All Route	750	80	Public



RailRoutes

MTIN codeA	MTIN codeB	ROUTE	Junction (a)	Junction (b)	Junction (c)	No of Stations	Rail Gauge	Tracks	Rail Type	Sleepers	Signalling Block	Clearance Gauge	Axle Load mT	Passenger Trains	Passenger Trains - Length Max (m)	Passenger Trains - Speed Max (kph)	Electrified	Freight Trains	Freight Trains - Length Max (m)	Freight Trains - Speed Max (kph)	Operations
TR-RL-MAND	TR-RL-KIR	Mandira (0km) - Babaeski (10.3km) - Kizilirmak (45.6km)				M-1-B-4-K=8	Standard	Single	>49kg/m - Non welded; Rigid Fastenings	Wooden/ Steel	Manual						None	All Route	750		Public
TR-RL-MAND	TR-RL-PEH	Mandira (0km) - Pehlivanbey (15.8km)				M-1-P=3	Standard	Single	Non welded; Rigid Fastenings		Automatic	TCDD 2	20	All Route		120	25kV	All Route	750	80	Public
TR-RL-MNM	TR-RL-ALI	Menemen (0km) - Aliaga (25.6km)				M-3-A=5	Standard	Double	49kg/m - Non welded; Rigid Fastenings	Concrete	Automatic		20	All Route			25kV	All Route	750		Public
TR-RL-MNM	TR-RL-BAS	Menemen (0km) - (a) Halkapinar (29km) - (b) Junction (Hilal) (30.6km) - Izmir (Basmane) (31.7km)	To Izmir Port (1.5km)	To Alsancak (1km)		M-14-H-B=17	Standard	Double	Non welded; Rigid Fastenings		Automatic	TCDD S	20	All Route		100	25kV	All Route	750	60	Public
TR-RL-NARL	TR-RL-KARK	Narli (0km) - Gaziantep (84km) - Karkamis (174.9km)				N-7-G-8-K=18	Standard	Single			Manual	TCDD S	19	All Route		100/60	None	All Route	750	80/60	Public
TR-RL-NARL	TR-RL-MLX	Narli (0km) - Malatya (181.9km)				N-16-M=18	Standard	Single	49kg/m - Continuous welded; Rigid Fastenings	Concrete	Automatic	TCDD S	20	All Route		80	25kV	All Route	750	80	Public
TR-RL-ORTA	TR-RL-SKE	Ortaklar (0km) - Soke (22km)				O-4-S=6	Standard	Single	Non welded; Rigid Fastenings		Manual	TCDD S		All Route			None	All Route	750		Public
TR-RL-ORTA	TR-RL-TOR	Ortaklar (0km) - Torbali (50.9km)				O-5-T=7	Standard	Single	Non welded; Rigid Fastenings		Manual	TCDD S	20	All Route		100	None	All Route	750	60	Public
TR-RL-PEH	TR-RL-BGTR-KAPI	Pehlivanbey (0km) - Edirne (46.7km) - Kapikule (66.5km) - Bulgaria Border (67.8km)				P-5-E-1-K=9	Standard	Single	Non welded; Rigid Fastenings	Mainly Concrete	Automatic	TCDD 1&2	20	All Route		120	25kV	All Route	750	80/60	Public
TR-RL-PEH	TR-RL-BGRTR-DEMI	Pehlivanbey (0km) - Demirkopru (28.5km) - Greece Border (30.2km)				P-2-D=4	Standard	Single		Wooden/ Steel	Manual	TCDD S	17	All Route		80	None	All Route	750	80	Public
TR-RL-SENY	TR-RL-B-SYTR-NUQA	Senyurt (0km) - Nusaybin (58.6km) - Syria Border (59.1km)				S-3-N=5	Standard	Single		Wooden/ Steel	Manual	TCDD S	19	All Route		80	None	All Route	750	80	Public
TR-RL-SENY	TR-RL-MDN	Senyurt (0km) - Mardin (24.3km)				S-1-M=3	Standard	Single			Manual	TCDD S	19				None	All Route	750		Public



RailRoutes

MTIN codeA	MTIN codeB	ROUTE	Junction (a)	Junction (b)	Junction (c)	No of Stations	Rail Gauge	Tracks	Rail Type	Sleepers	Signalling Block	Clearance Gauge	Axle Load mT	Passenger Trains	Passenger Trains - Length Max (m)	Passenger Trains - Speed Max (kph)	Electrified	Freight Trains	Freight Trains - Length Max (m)	Freight Trains - Speed Max (kph)	Operations
TR-RL-SIR	TR-RL-MAND	Istanbul (0km) - Halkali (27.6km) - Cerkezkoy (129.5km) - Mandira (235km)				I-17-H-14-C-14-M=49	Standard	Double (0-27.6km), Single (27.6-235km)	Mostly 49kg/m - Non welded; Rigid Fastenings	Mainly Concrete	Automatic	TCDD 2	20	All Route		120	25kV	All Route	750	80	Public
TR-RL-SSX	TR-RL-GELE	Samsun (0km) - Gelemen (11.6km)				S-4-G=6	Standard	Single	Non welded; Rigid Fastenings		Manual	TCDD S		All Route			None	All Route			Public
TR-RL-SSX	TR-RL-SZF	Samsun (0km) - Carsamba (35km)				S-9-C=11	Standard	Single	Non welded; Rigid Fastenings		Manual	TCDD S	20	All Route			None	All Route			Public
TR-RL-SUTL	TR-RL-KARA	Sutlac (0km) - Dinar (18.5km) - Karakuyu (34.2km)				S-2-D-K=5	Standard	Single			Manual	TCDD S	20	All Route		80	None	All Route	750	60	Public
TR-RL-TOPR	TR-RL-FEVZ	Toprakkale (0km) - Osmaniye (8.9km) - Fevzipasa (63.1km)				T-O-8-F=11	Standard	Single	49kg/m - Continuous welded; Rigid Fastenings	Concrete	Automatic	TCDD S	20	All Route		100	25kV	All Route	750	80	Public
TR-RL-TOPR	TR-RL-ISK	Toprakkale (0km) - Iskenderun (58.9km)				T-7-I=9	Standard	Single	Non welded; Rigid Fastenings		Automatic	TCDD S	20	All Route		80	25kV	All Route	750	80	Public
TR-RL-TOR	TR-RL-BAS	Torbali (0km) - Cumaovasi (27.3km) - Adnan Menderes (30.6km) - (a) Junction (Hilal) (47.5km) - Basmane (Izmir) (48.6km)	To Alsancak (1km)			T-4-C-AM-7-B=15	Standard	Single (0-27.3km), Double (27.3-48.6km)	Non welded; Rigid Fastenings		Manual	TCDD S	20	All Route		100	25kV (27.3-48.6km)	All Route	750	60	Public
TR-RL-TOR	TR-RL-CATA	Torbali (0km) - Catal (36.5km)				T-2-C=4	Standard	Single	Non welded; Rigid Fastenings		Manual	TCDD S		All Route			None	All Route			Public
TR-RL-TVS	TR-RL-BZI	Tavsanli (0km) - Balikesir (202.3km)				T-18-B=20	Standard	Single	49kg/m - Continuous welded; Rigid Fastenings		Manual	TCDD S	20	All Route		100	None	All Route	750	80	Public
TR-RL-TVS	TR-RL-TUNC	Tavsanli (0km) - Tuncbilek (13.4km)				T-T=2	Standard	Single			Manual	TCDD S	20				None	All Route			Public
TR-RL-USA	TR-RL-AFY	Usak (0km) - Dumlupinar (71km) - Afyon (135.0km)				U-7-D-5-A=15	Standard	Single	Non welded; Rigid Fastenings		Manual	TCDD S	20	All Route		100	None	All Route	750	80	Public
TR-RL-USA	TR-RL-ASH	Usak (0km) - Alasehir (117.8km)				U-8-A=10	Standard	Single	Non welded; Rigid Fastenings		Manual	TCDD S	20	All Route		100	None	All Route	750	80	Public



RailRoutes

MTIN codeA	MTIN codeB	ROUTE	Junction (a)	Junction (b)	Junction (c)	No of Stations	Rail Gauge	Tracks	Rail Type	Sleepers	Signalling Block	Clearance Gauge	Axle Load mT	Passenger Trains	Passenger Trains - Length Max (m)	Passenger Trains - Speed Max (kph)	Electrified	Freight Trains	Freight Trains - Length Max (m)	Freight Trains - Speed Max (kph)	Operations
TR-RL-VAN	TR-RL-B-IRTR-KAPI	Van Iskele (Pier) (0km) - Van (6.8km) - Kapikoy (114km) - Iran Border (116.7km)				VI-V-7-K=10	Standard	Single	Non welded; Rigid Fastenings		Manual	TCDD 3	20	All Route		100	None	All Route	750	80	Public
TR-RL-VAS	TR-RL-BOST	Sivas (0km) - Bostankaya (28km)				S-2-B=4	Standard	Single	49kg/m - Continuous welded; Rigid Fastenings	Concrete	Automatic		20	All Route		120	None	All Route	750	80	Public
TR-RL-VAS	TR-RL-KALI	Sivas (0km) - Kalin (24km)				S-2-K=4	Standard	Double (0-6.8km, Single (6.8-24km)	49kg/m - Continuous welded; Rigid Fastenings	Concrete	Automatic		20	All Route		120	None	All Route	750	80	Public
TR-RL-YEN	TR-RL-MER	Yenice (0km) - Mersin (43.2km)				Y-6-M=8	Standard	Double	49kg/m - Continuous welded; Rigid Fastenings	Concrete	Manual		20	All Route		100	None	All Route	750	60	Public
TR-RL-YEN	TR-RL-ULUK	Yenice (0km) - Ulukisla (108.4km)				Y-10-U=12	Standard	Single	49kg/m - Continuous welded; Rigid Fastenings	Concrete	Manual		20	All Route		100	None	All Route	750	80	Public
TR-RL-YOLC	TR-RL-MLX	Yolcati (0km) - Malatya (94.8km)				Y-7-M=9	Standard	Single		Wooden and Steel	Manual	TCDD S	20	All Route		80	None	All Route	750	60	Public
TR-RL-YOLC	TR-RL-TATV	Yolcati (0km) - Elazig (23.9km) - Mus (265km) - (a) Tatvan (359km)	Iskele (Pier) (4.7km)			Y-E-24-M-7-T=35	Standard	Single		Wooden and Steel	Manual	TCDD S	20	All Route		100	None	All Route	750	80	Public